

# DesignLights Consortium



Model Number	SU-LS-4FT40W-xxK Gx
Classification	Premium
Primary Use	Low-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	40.2 W
Reported Light Output	6075 lm
Reported CCT	3000 K
Reported CRI (Ra)	83
Product ID	S-C1Q0NX
DLC Family Code	<a href="#">YLNGYH</a>
Listing Status	Listed
Date Qualified	2025-09-19

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-C1Q0NX
Manufacturer	NETWORK LIGHTING CONTROL INC
Brand	SAMARAUSA
Model Number	SU-LS-4FT40W-xxK Gx
Parent	No
Classification	Premium
DLC Family Code	YLNGYH
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Low-Bay
Primary Use Designation	Low-Bay Luminaires for Commercial and Industrial Buildings

## CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	Energy Monitoring, High End Trim
Sensor Type	Multifunction Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	Bluetooth, WiFi
Field Adjustable Light Output	Yes
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	6075 lm
Reported Efficacy (AC)	151.3 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	83
Reported R9	11
Reported IES Rf	84
Reported IES Rg	96
Reported IES Rcs,h1	-11
Reported Minimum Light Output	3026 lm
Reported Maximum Light Output	6075 lm
Reported Default Light Output	6075 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	40.2 W
Reported Total Harmonic Distortion	16.1 %
Reported Power Factor	0.918
Reported Minimum Input Wattage	20 W
Reported Maximum Input Wattage	40.2
Reported Default Input Wattage	40.2 W
Voltage Range	120-277 V

## VERSION HISTORY VIEW DETAILS

2025-09-19	Listed	5.1	Premium
------------	--------	-----	---------

Product Images shown may not represent all capabilities or aesthetic options available for the associated model number